CTI

caretrade-international

CIVIL & MILITARY SPECIALIST VEHICLES

CATALOGUE / EN

Dingo MRAP

1 Products / offerings | On request



Dingo MRAP – front visualisation from the catalogue, not a condition photograph

Readable offline. Connected online.

Images, descriptions, technical tables and contacts are included in this PDF. Links and QR codes do not update this copy automatically.

Scan or click QR

Generated on: 22.11.2026 14:23 UTC

This file records information present on the website at export. Its generation date confirms neither current stock nor delivery readiness.

office@caretrade-international.com

Design & Hosting: www.teissl.me

Contents & product selection

CTI-AV-05	Dingo MRAP	3
CTI	Your contacts	7
PDF	Offline worksheet	9

CTI-AV-05 / Armoured Vehicles

Dingo MRAP

MRAP · Multi-purpose platform

Scan or click QR



Dingo MRAP – front visualisation from the catalogue, not a condition photograph

MRAP platform with a V-shaped hull and a 6.7-litre inline-six diesel.

At a glance

Engine	6.7 l diesel
Occupants	2 + 8
Images	Visualisations

Description

The catalogue describes the Dingo MRAP as a multi-purpose platform with a V-shaped monocoque hull. The views are catalogue visualisations, not photographs documenting vehicle condition. Inquiries cover unarmed transport or ambulance configurations.

Powertrain & capacity

Engine	6.7-litre inline-six diesel

Dingo MRAP

Powertrain & capacity

Output stated in the catalogue	285 hp at 2,500 rpm; 970 Nm at 1,200 rpm
Transmission	6 forward gears / 1 reverse gear; the overview states automatic transmission
Powertrain	Selectable 4×4 with two-speed transfer case
Steering	Hydraulic power steering; left-hand drive, right-hand drive optional
Occupants / doors	2 + 8 occupants; 4 side doors and 1 rear door; seat belts for all occupants

Dimensions & weights

Length × width × height	6,005 × 2,465 × 2,805 mm
Ground clearance	376 mm
Unladen weight	15,800 kg
Maximum permissible gross weight	18,000 kg
Payload	2,200 kg

Protection & suspension

Protection stated in the catalogue	STANAG Levels 2 and 3; exact scope and documentation to be confirmed
Hull	V-shaped monocoque hull
Suspension	Independent suspension, planetary axles, double wishbones with shock absorbers
Tyres	365/80 R20; run-flat as standard according to the catalogue
Brakes	Dual-circuit air brakes; spring-applied parking brake; engine exhaust brake

office@caretrade-international.com
Design & Hosting: www.teissl.me

Dingo MRAP

Conflicting figures — clarification required

Speed	Main table: maximum 100 km/h, sustained 80 km/h. Supplementary table: maximum 110 km/h.
Range	Main table: over 800 km. Supplementary table: 550 km.
Gradient capability	Main table: 60%. Supplementary table: 70%.
Fording depth	Main table: 850 mm. Continuation of the supplementary table: 600 mm.

Enquiry scope

Unarmed vehicle configuration

Context & important notes

• On page 9 and its continuation on page 10, the additional mobility table contains figures that differ from the main Dingo data. These conflicting figures are not presented as confirmed specifications.

For a specific enquiry

• Country of operation and transport task

• Required number of occupants, quantity and equipment

• Preferred timeframe and required documentation

Source stated on website: Document 1 · Armoured Vehicles · 26.08.2026 · 2, 9–11

Dingo MRAP · Images & detail views

Catalogue images are illustrative; equipment and scope of supply require separate confirmation.



Dingo MRAP – side visualisation from the catalogue, not a condition photograph

Your contacts

Please state the product reference, quantity, destination country, technical requirements and desired timeframe. Quotations are agreed individually in writing.

Alexander Schlegel

Chief Executive Officer

Your contact for strategic direction and overarching company matters.

alex@caretrade-international.com

+49 1512 0707070 · CTI Office · WhatsApp

Daniel Künzel

Chief Commercial Officer

Your contact for specific product requirements, quotations and commercial coordination.

daniel@caretrade-international.com

+49 179 539 7766 · WhatsApp

Lukas Teissl

Chief Strategic Partnerships Officer

As a certified IT expert, Lukas Teissl is responsible for the entire IT function at caretrade-international. He oversees the programming and technical development of the company's digital systems, coordinates technical logistics and supports the technical implementation of internal and project-related workflows. This allows him to combine strategic partnerships with strong technology expertise and provide a reliable digital foundation for professionally coordinated projects.

lukas@caretrade-international.com

+44 7858 827 067 · WhatsApp

General contact

office@caretrade-international.com

caretrade-international.com

Scan or click QR

Context & important notes

Non-binding information catalogue. No order, reservation or delivery guarantee. Only a separately confirmed quotation with agreed configuration and scope is binding. Required approvals and checks remain applicable.

Document snapshot

This file records information present on the website at export. Its generation date confirms neither current stock nor delivery readiness.

QR codes open the current page in the selected language. Internet is required; any active preview protection still applies.

Current website page

https://caretrade-international.com/en/products/dingo-mrap/

Offline worksheet

Complete in a PDF reader supporting forms and save your own copy, or print and write by hand. Nothing is sent automatically or synchronised with your customer account.

Name / organisation

Email / phone

Product reference(s) / quantity

Destination / delivery location / schedule

Requirements, variants and questions

Your notes / next steps

Do not enter passwords, banking credentials, identity-document copies or patient data. Check content and recipients before sharing.