

Toyota Hilux

1 Products / offerings | On request



Toyota Hilux – reference view in an open landscape

Readable offline. Connected online.

Images, descriptions, technical tables and contacts are included in this PDF. Links and QR codes do not update this copy automatically.

Generated on: 08.10.2026 12:52 UTC

This file records information present on the website at export. Its generation date confirms neither current stock nor delivery readiness.



Scan or click QR


Contents & product selection

CTI-HILUX	Toyota Hilux	3
CTI	Your contacts	11
PDF	Offline worksheet	13

CTI-HILUX / Toyota Hilux

Toyota Hilux

Pickup · International procurement



Scan or click QR

*Toyota Hilux – reference view in an open landscape*

Toyota Hilux for fleets, businesses and international projects. Configurations to enquire about, clearly scoped reference data and personal sourcing support from CTI.

At a glance

Drivetrain	4x2 / 4x4
Transmission	Manual / Automatic
Configurations	5

Description

For your company fleet, a demanding project or mobility across different regions, CareTrade International helps you select and source the Toyota Hilux configuration that fits your requirements.

Technical reference · Philippines

Toyota Hilux

Technical reference · Philippines

Engine type	1GD-FTV (High): 2.8-litre diesel, four cylinders, 16 valves, DOHC; variable-nozzle turbocharger with air-cooled intercooler. · Philippines Hilux ICE brochure, page 2: all seven listed trims. Their allocation to CTI configurations is unconfirmed.
Displacement	2,755 cm ³ . · Philippines Hilux ICE brochure, page 2: all seven listed trims. Their allocation to CTI configurations is unconfirmed.
Maximum power	204 PS at 3,000–3,400 rpm. · Philippines Hilux ICE brochure, page 2: all seven listed trims. Their allocation to CTI configurations is unconfirmed.
Maximum torque	Automatic: 500 Nm at 1,600–2,800 rpm. Manual: 420 Nm at 1,400–3,400 rpm. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.
Transmission	Six-speed automatic for A/T trims; six-speed manual for M/T trims. iMT is explicitly listed for 2.8 4x4 V M/T. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.
Fuel tank	80 litres. · Philippines Hilux ICE brochure, page 2: all seven listed trims. Their allocation to CTI configurations is unconfirmed.
Dimensions: length × width × height	5,320 × 1,885 × 1,865 mm; exception 2.8 4x2 E A/T: 5,320 × 1,855 × 1,865 mm. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.
Wheelbase	3,085 mm. · Philippines Hilux ICE brochure, page 2: all seven listed trims. Their allocation to CTI configurations is unconfirmed.
Brochure ground clearance	The brochure lists 312 mm minimum ground clearance. It does not explain the measurement point or load condition; the figure requires confirmation for the vehicle being sourced. · Philippines Hilux ICE brochure, page 2: all seven listed trims. Their allocation to CTI configurations is unconfirmed.
Suspension	Double wishbone at the front; leaf-sprung rigid axle at the rear. · Philippines Hilux ICE brochure, page 2: all seven listed trims. Their allocation to CTI configurations is unconfirmed.
Wheels and tyres	Conquest 4x4 A/T, V 4x4 M/T and Conquest 4x2 A/T: 265/60R18 alloys. G and E trims: 265/65R17 alloys. Full-size spare: alloy on Conquest; steel on V/G/E. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.

Toyota Hilux

Technical reference · Philippines

Braking system	Ventilated front discs on all seven trims. Ventilated rear discs on both Conquest trims and V 4x4 M/T; rear drums on G and E trims. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.
Steering	Electric power steering on both Conquest trims and V 4x4 M/T; hydraulic power steering on G and E. Tilt and telescopic steering adjustment on all seven trims. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.
Differential lock	Rear differential lock on Conquest 4x4 A/T, V 4x4 M/T and E 4x4 M/T. No differential lock is listed for the 4x2 trims. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.
Drive modes and Multi-Terrain Select	Eco, Normal and Sport on every trim except E 4x2 A/T. Multi-Terrain Select only on Conquest 4x4 A/T: Dirt, Rock, Sand, Mogul and Mud. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.
Seating and seats	Five seats on all seven trims. Both Conquest trims and V: synthetic leather, eight-way power driver seat. G/E: fabric, six-way manual driver seat. Rear seats split 60:40, except the bench in E 4x2 A/T. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.
Climate control	Dual-zone automatic climate control on both Conquest trims and V 4x4 M/T; manual air conditioning on G and E. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.
Instruments and infotainment	Both Conquest trims and V: 12.3-inch instrument display and 12.3-inch audio display. G/E: 7-inch instrument display and 8-inch audio display. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.
Smartphone connectivity and audio	Apple CarPlay and Android Auto: wireless on both Conquest trims and V; wired on G/E. Eight speakers are listed for all seven trims. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.
USB, outlets and charging	All trims: two front USB-C ports. All except E 4x2 A/T: two rear USB-C ports, wireless charging and one 12-V outlet. E 4x2 A/T: no rear USB-C ports or wireless charging listed; two 12-V outlets. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.

Toyota Hilux

Technical reference · Philippines

Entry, mirrors and parking brake	Smart Entry and push start on Conquest, V and G; not listed for E. Auto-folding mirrors and electric parking brake with Brake Hold on both Conquest trims and V. G/E: power-adjustable mirrors and lever parking brake. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.
Lighting	LED headlights on all trims. Auto levelling, LED daytime running lights, LED front fog lamps and LED rear combination lamps on all except E 4x2 A/T. LED rear fog lamps on both Conquest trims and V; E 4x2 A/T has bulb-type rear lamps. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.
Exterior and load-bed access	Both Conquest trims: sportsbar, roof rails and side decals. Mudguards and a rear deck step on all seven trims. Confirm payload, load-bed dimensions and permitted accessories separately. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.
Connected vehicle functions	A data communication module with remote functions is listed on all seven trims. Service eligibility, coverage, account requirements and operation in the destination country require separate confirmation. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.
Airbags	Seven airbags on both Conquest trims and V: driver, passenger, driver knee, side and curtain airbags. Three airbags on G/E: driver, passenger and driver knee. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.
Child-seat anchorage	Two ISOFIX positions with tether anchors, as listed in the brochure. · Philippines Hilux ICE brochure, page 2: all seven listed trims. Their allocation to CTI configurations is unconfirmed.
Braking and stability assistance	ABS with EBD, VSC with brake assist, hill-start assistance, trailer-sway control and emergency brake signal. Trailer-sway control does not establish a permitted towing capacity. · Philippines Hilux ICE brochure, page 2: all seven listed trims. Their allocation to CTI configurations is unconfirmed.
Traction and downhill assistance	Active traction control A-TRC on the three 4x4 trims; TRC on 4x2 trims. Downhill assistance is listed only for Conquest 4x4 A/T and V 4x4 M/T. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.

Toyota Hilux

Technical reference · Philippines

Toyota Safety Sense 3	On both Conquest trims and V: pre-collision system, automatic high beam, lane tracing assist and lane departure alert. Not listed for G/E. Confirm the actual functions and operating conditions for the sourced vehicle. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.
Cruise control	Dynamic radar cruise control on both Conquest trims and V; conventional cruise control on G A/T, G M/T and E 4x4 M/T. No cruise control listed for E 4x2 A/T. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.
Blind spot and rear cross traffic	Blind-spot monitoring and rear cross-traffic alert on both Conquest trims and V. Not listed for G/E. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.
Camera system	Panoramic View Monitor on both Conquest trims, V, G A/T, G M/T and E 4x4 M/T. E 4x2 A/T: reversing camera. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.
Parking sensors front / rear	Both Conquest trims: 4 / 4. V, G A/T, G M/T and E 4x4 M/T: 2 / 4. E 4x2 A/T: 0 / 2. · Philippines Hilux ICE brochure, page 2. Listed equipment applies only to the trims identified in that brochure.
Reference colours: Conquest and V	Emotional Red 2 · Ash · Attitude Black Mica · Super White 2. · Philippines brochure, page 2: Conquest 4x4 A/T, V 4x4 M/T and Conquest 4x2 A/T. CTI colour availability on request.
Reference colours: G and E	Attitude Black Mica · Super White 2 · Silver Metallic. · Philippines brochure, page 2: G 4x2 A/T, G 4x2 M/T, E 4x4 M/T and E 4x2 A/T. CTI colour availability on request.

At a glance

Model range	Toyota Hilux
Availability	On request

Context & important notes

Toyota Hilux

- Technical reference data applies to the Hilux ICE brochure from Toyota Motor Philippines. Mapping to CTI configurations, especially Travo, is confirmed individually.
- Image views are for orientation. Colour, model generation, equipment and actual scope of supply are confirmed in the quotation.

Source stated on website: Toyota Motor Philippines · Hilux ICE · 2608R-12 · 2

Toyota Hilux · Images & detail views

Catalogue images are illustrative; equipment and scope of supply require separate confirmation.




Toyota Hilux – front and three-quarter view



Toyota Hilux – side view and proportions



Toyota Hilux – rear and load bed




Toyota Hilux – exterior detail reference

Toyota Hilux · Images & detail views

Catalogue images are illustrative; equipment and scope of supply require separate confirmation.



Toyota Hilux – vehicle use in a project setting



Toyota Hilux – mobility in rural regions

Your contacts

Please state the product reference, quantity, destination country, technical requirements and desired timeframe. Quotations are agreed individually in writing.

Alexander Schlegel

Chief Executive Officer

Your contact for strategic direction and overarching company matters.

alex@care-trade-international.com

+49 1512 0707070 · CTI Office · WhatsApp

Daniel Künzel

Chief Commercial Officer

Your contact for specific product requirements, quotations and commercial coordination.

daniel@caretrade-international.com

+49 179 539 7766 · WhatsApp

Lukas Teissl

Chief Strategic Partnerships Officer

As a certified IT expert, Lukas Teissl is responsible for the entire IT function at CARE-TRADE-INTERNATIONAL. He oversees the programming and technical development of the company's digital systems, coordinates technical logistics and supports the technical implementation of internal and project-related workflows. This allows him to combine strategic partnerships with strong technology expertise and provide a reliable digital foundation for professionally coordinated projects.

lukas@caretrade-international.com
+44 7858 827 067 · WhatsApp

General contact

office@caretrade-international.com

caretrade-international.com



Scan or click QR

Context & important notes

Non-binding information catalogue. No order, reservation or delivery guarantee. Only a separately confirmed quotation with agreed configuration and scope is binding. Required approvals and checks remain applicable.

Document snapshot

This file records information present on the website at export. Its generation date confirms neither current stock nor delivery readiness.

QR codes open the current page in the selected language. Internet is required; any active preview protection still applies.

Current website page



<https://caretrade-international.com/en/categories/toyota-hilux/>

Offline worksheet

Complete in a PDF reader supporting forms and save your own copy, or print and write by hand. Nothing is sent automatically or synchronised with your customer account.

Name / organisation

Email / phone

Product reference(s) / quantity

Destination / delivery location / schedule

Requirements, variants and questions

Your notes / next steps

Do not enter passwords, banking credentials, identity-document copies or patient data. Check content and recipients before sharing.